

CALL: 0800 064 4454

RENAULT MASTER

REAR LIFT

Motability
The leading car scheme for disabled people



MASTER

www.brookmiller.co.uk





The Renault Master is a van that adapts to your needs. It is instantly distinguished through a more dynamic front end and the signature C-shaped headlight design.

The Master offers both practicality and versatility in abundance with no compromise in comfort. With a range of options and a high specification as standard the Master is ideal for wheelchair access conversions.

Available in three sizes, the SL short wheelbase with low roof, the MM medium wheelbase with medium roof and the LM long wheelbase with medium roof. Also having the option of either the Business or Business + specifications. The Master Rear Lift conversion provides a wide range of seating plans.







The Master Rear Lift comes the unrivalled space, safety and user-friendly wheelchair travel.

This rear wheelchair passenger solution vehicles is fitted with a fully automatic hydraulic lift and a handy remote control. Both wheelchair and mobility scooter users will feel at ease entering and exiting the vehicle using the lift, which is capable of lifting up to 400kg and comes in a range of platform lengths.

Once inside, the wheelchair is secured in place by high-quality front and rear floor restraints locked into a specialist floor rail system, while lap and diagonal seat belts ensure optimum safety for the wheelchair passenger. We also fully test all our conversions and are certified to meet the highest automotive and accessibility standards.



Standard Equipment of the Business

Manual air conditioning and pollen filter in cab area

Wabasto air conditioning in rear passenger area

Wabasto heater in rear passenger area

Radio with DAB, bluetooth and USB

Automatic headlights and wipers

Driver's seat - height adjustable, lumbar support and armrest

Steering wheels - height adjustment

Electric front windows

Passenger bench seat

Overhead parcel shelf

Kaleido - dark grey upholstery

Electrically adjustable and heated door mirrors

Left side sliding door to rear passenger area

C-shaped Daytime Running Lights

16" steel wheels with small wheel stylers

Side wind assist

Thatcham approved category I alarm

Remote central locking

Standard Equipment of the Business + (in addition to the Business)

Electric front windows with driver's side one-touch descent

Fully adjustable suspension type driver's seat

Interior chrome trim

Pivoting seatback table with dual split under seat storage

12V power supply socket in rear passenger area

16" steel wheels with large wheel stylers


Chrome trim on front grille

Wide view mirror

Rear parking sensors



Technical Specifications




Access Dimensions


A. Max. entrance headroom (mm/")	1650/65
B. Max. interior headroom (mm/")	*1700/67
C. Max. interior floor length (mm/")	**2030/80
D. Max. wheelchair width (mm/")	900/35.5
E. Max. seated eyeline height (mm/")	1600/63


Access Dimensions

Standard seating layout



Optional seating layout





NOTE: More seating options available, please call for more details. All seating plans are dependable on wheelchair dimensions.

Vehicle Data

Engine data	dCi 135	dCi 150
Engine type	Diesel, twin turbo	Diesel, twin turbo
Exhaust emission standard	EU6D Temp	EU6D Temp
Engine size	2298cc	2298cc
Power (hp/kW)	135 / 100	150 / 110
Torque, max. Nm at rpm	360 at 1,500	385 at 1,500


Fuel consumption & performance	Combined fuel consumption mpg	Acceleration, seconds 0 - 62mph
SL		
SL28 dCi 135 Business	32.5	13.5
SL28 dCi 150 Business Quickshift6	31.4	12.1
SL28 dCi 135 Business +	32.1	13.5

30.7	13.5
29.7	12.1
30.4	13.5
29.4	12.1
	29.7

LM		
LM35 dCi 135 Business	30.1	13.5
LM35 dCi 150 Business Quickshift6	29.4	12.1
MM33 dCi Business + 135	29.7	13.5
MM35 dCi 150 Business + Quickshift6	29.1	12.1

NOTE: all base vehicle specifications and data taken from manufacturer and correct at time of publication.

Vehicle dimensions	SL	ММ	LM
Length (mm/")	5,075 / 200	5.575 / 219.5	6,225 / 245
Width (mm/")	2,470 / 97.2	2,470 / 97.2	2,470 / 97.2
Height (mm/")	2,500 / 98.4	2,499 / 98.3	2,488 / 97.9



Rated load capacity	Up to 800lbs / 400kg
Power	Electro-Hydraulic
Manual backup (up)	Hand pump
Manual backup (down)	Pressure release valve
Usable platform length (mm/")	1,065 / 41.9
Usable platform width (mm/")	750 / 29.5

NOTE: larger platforms available at extra cost.



For a no obligation demonstration or if you simply require more information, give us a call or drop us an email and one of our vehicle advisors will be able to help you with anything you need.

Alternatively you can visit our website where you will find an most information.

3 0800 064 445

@ office@brookmiller.com







